


dkoziol@pozytywne.com.pl tel: +48 601 612 580 www.pozytywne.info

CO-BRANDING CATALOG









As a young team, we intrinsically value the protection of our planet and our shared future. In our role as a developer of tech products, we bear direct responsibility for our products and the resulting societal consequences.

For us, sustainability is a holistic concept that takes equal account of environmental, social and economic aspects. We have aligned our strategy with the Sustainable Development Goals of the United Nations Global Compact and are working with specialized partners to realize them effectively.

We regularly assess the impact of our company actions and develop targeted measures to achieve our climate goals and enhance social justice. All our suppliers are carefully selected by third party verifiable, high social standards. We have set an internal carbon price of €50 per tonne that is increased yearly. This enables us to support international projects targeting climate protection and biodiversity.


Our progress can be viewed at any time at **vonmaehlen.com/sustainability**.

Sustainability is a matter of mindset. Transparency, accountability and frequent communication are therefore the cornerstones of our strategy.



PANTONE® FROM 500 PCS.

VONMÄHLEN Northern Germany





CLASSICS EVERGREEN GO



COMING SOON

R >50% Recycled materials

PREMIUM


- 20 | ALLROUNDO_® GaN R The 30W GaN Charger + All-in-One Cable
- 23 FINDME NEW COMING SOON
- 26 | EVERGREEN MAG NEW The Magnetic Powerbank

29 | AURA HOME

The 3in1 Magnetic Wireless Charger

32 | AIR BEATS GO PANTONE' FROM 500 PCS. The Ultimate Pocket Speaker

35 | AIR BEATS MINI









55% RECYCLED MATERIALS **INFINITY** THE UNIVERSAL PHONE STRAP







INFINITY | HIGHLIGHTS



SPECIFICATIONS

DimensionsWeightMaterialsStrapL 141 × W 68 × H 7 mm29 gGRS-certified PET, siliconeup to 150 cm (adjustable)











PANTONE* FROM 500 PCS.

PANTONE coloringBranding areaNylon strap + BodyØ 25 mm

Finishing 4c UV printing/ 3c Silkscreen printing

PACKAGING

Packing dimensionsWeight incl. productCustoms tariff numberOrigin countryL 167 × W 92 × H 19.5 mm66 g39269097900China

Д FSC







COMPACT DESIGN FOR THE KEY RING

USB-C BACKUP CABLE

FAST CHARGING PERFORMANCE + 60 W POWER DELIVERY



SPECIFICATIONS

Dimensions / Weight L 40 × W 12 × H 16.5 mm 10.5 g	Materials GRS-certified ABS, GRS-certified PC, GRS-certified TPE, Recycled Copper,	Connectors 2× USB-C	Charging speed USB-C to USB-C: 3A (60 W)	Data transfer rate 480 Mbit/s
	lron			





	CUSTOMIZATION			PACKAGING Key ring	PACKAGING Key ring included.			
PANTONE*	Pantone coloring	Branding area	Finishing	Packing dimensions	0	Customs tariff number	Origin country	
FROM 500 PCS.	Case + cable	25 × 8 mm	4c UV printing	L 95 × W 35 × H 18mm		85444290900	China	

COMING SOON





THE POWERBANK FOR THE KEY RING



QUICK AND SECURE ATTACHMENT TO YOUR KEY RING

EMERGENCY POWER: CHARGES AN IPHONE 16 UP TO 25 %

INTEGRATED, DETACHABLE USB-C TO USB-C CABLE



SPECIFICATIONS

Dimensions / WeightMaterialsL 77.65 × W 34.6 × H 12.3 mmTPE, ABS+PC,41.5 gStainless Steel,Recycled Copper







VONMÄHLEN Northern Germany TARCH

LONMAHIEN

DESIGN AWARD 2022

iF

COMPACT DESIGN FOR THE KEY RING

FAST CHARGING PERFORMANCE (60W)

COMPATIBLE WITH ALL END DEVICES (6IN1)



SPECIFICATIONS

Dimensions / Weight L 61 × W 12 × H 16.5 mm 32.5 g **Materials** ABS, TPE, Stainless Steel, Recycled Copper, Iron Adapters USB-A, 2in1 Connector (Micro-USB / compatible with iPhone / iPad) **Connectors** 2×USB-C Charging speed USB-C to USB-C: 3A (60 W) USB-C to Lightning: 2.4A USB-C to Micro-USB: 1A

USB-A to USB-C: 3A USB-A to Lightning: 2.4A USB-A to Micro-USB: 1A Data transfer rate

480 Mbit/s (no data transfer via USB-A/USB-C to Micro-USB)



	CUSTOMIZATION			PACKAGING Key ring	PACKAGING Key ring included.			
PANTONE*	PANTONE coloring	Branding area	Finishing	Packing dimensions	0	Customs tariff number	Origin country	
FROM 500 PCS.	Cable + adapter	18 × 8 mm	Laser engraving	L 95 × W 35 × H 18mm		85444290900	China	

ALLROUNDO® ECO

THE SUSTAINABLE ALL-IN-ONE CABLE

VONMÄHLEN Northern Germany



This alloundo, eco contaire 4% GRS entified recycled post consume polycaborate (PC), 4% GRS centified recycled post-consume acylionitie bustleader exymere (ABS), 11% GRS recycled post-consumer thermopatatic polyphahme (PU), 2% GRS centified recycled post-consumer thermoplastic elastomer (PE), 7% GRS centified recycled post-consumer copper, centified by Internet 2238/4





SPECIFICATIONS

Dimensions / Weight L 76 × W 72.4 × H 23.6 mm 70 g

GRS-certified PC, GRS-certified ABS, GRS-certified TPU, GRS-certified TPE, Stainless Steel, Zinc, Recycled Copper

Materials

Cable lengthAdaptersup to 90 cmMicro-USB

Micro-USB, USB-A, Lightning

Charging speed

USB-C to USB-C: 3A (PD 60 W) USB-C to Lightning: 2.4 A USB-C to Micro-USB: 2A

Data transfer rate


480 Mbit/s

400 101

USB-A to USB-C: 3A

USB-A to Lightning: 2.4 A

USB-A to Micro-USB: 2A





PANTONE coloring (Only bottom shell) Branding area Ø 45 mm

CUSTOMIZATION The connectors are only available in black or white.

Finishing 4c UV printing

Packing dimensions	Weight incl. product	Customs tariff number	Origin country
L 80 \times W 77 \times H 26 mm	87 g	85444290900	China

PANTONE Premium coloring (Cable + depot + bottom shell) PACKAGING

∫ FSC



NEW RECYCLED COPPER* **ALLROUNDO®** GaN

THE 30 W GaN CHARGER + ALL-IN-ONE CABLE

Global Recycled Standard

undo, GAN contairs 29% GRS certified recycled post-consumer thermoplastic leats 9% GRS certified recycled post-consumer polyativijente terephthate (PET), 8% GRS certified recycled post-consumer thermoplastic polyarethanet 4% GRS recycled post-consumer thermoplastic polyarethanet (PD), 1% GRS certified recycled post-consumer thermoplastic polyarethanet certified by Intertive Z2584





SPECIFICATIONS

Dimensions / Weight L 100 × W 99 × H 44 mm 182 g	Materials GRS-certified TPE, GRS-certified PET, GRS-certified PC,	Adapters Micro-USB, USB-A, Lightning	Charging speed USB-C to USB-C: 3 A (PD 60 W) USB-C to Lightning: 2.4 A USB-C to Micro-USB: 2 A	Data transfer rate 480 Mbit/s	GaN Charger Input 110 - 240 V ~ 1 A, 50 Hz / 60 Hz	GaN Charger Output 5V≕3A 9V≕3A 12V≕2.5A
Cable length up to 120 cm	GRS-certified TPU, GRS-certified ABS, Stainless Steel, Zinc,	5 5	USB-A to USB-C: 3A USB-A to Lightning: 2.4A USB-A to Micro-USB: 2A			15V=2A (30W max) 20V=1.5A (30W max) PPS 3.3-11V=3A
	Stainless Steel, Zinc, Recycled Copper		USB-A to Micro-USB: 2A			PPS 3.3-1 PPS 3.3-1





CUSTOMIZATION		PACKAGING	, F
Branding area	Finishing	Packing dimensions Weight incl. product Customs t	0
35 × 35mm	4c Digital transfer printing	L 175 × W 120 × H 53 mm 362 g 854442909	





FINDME^{*}

THE ULTRA-SLIM BLUETOOTH® TRACKER CARD

Wireless

Rechargeable

↓ ↑ Ultra Thin


1.6 mm

(4))

Water and Dust resistant

IP67





SPECIFICATIONS

Dimensions / Weight L 85.5 × W 54 × H 1.6 mm 11.5 g **Battery Capacity** 100 mAh

Materials

PC

Input Wirelessly rechargable **Standby** 2-3 Months Additional functions · Notification Sound (70-90 dB)







PACKAGING		FSC
Packing dimensions	Weight incl. product	Origin country
L 128.5 × W 79 × H 13.5mm	41 g	China

CUSTOMIZATION

Branding areaFinishing45 × 40 mm4c UV printing



5,000 mAh





NEW



SPECIFICATIONS

Dimensions / Weight / L 102 × W 70 × H 8.6 mm 118 g

Materials

Silicone, Recycled Aluminum, Recycled ABS+PC, Recycled Cobalt

USB-C Input / Output 5V=3A, 9V=2.22A, 12V=1.67A

Output Magnetic Wireless Charger 5 W / 7.5 W / 10 W / 15 W (Max.)

Battery Capacity 5,000 mAh / 3.85 V

Additional functions

· LED battery status light



EVERGREEN MAG | CUSTOMIZATION



CUSTOMIZATI	ON	PACKAGING				
Branding area 55 × 73.2 mm	Finishing Laser engraving	Packing dimensions L 136.8 × W 81 × H 27 mm	Weight incl. product 205g	Accessories 1 m USB-C to USB-C cable	Customs tariff number 85076000900	Origin country China



VONMÄHLEN

Northern Germany

۲

RECYCLED TEMPERED GLASS & ALUMINUM



THE 3IN1 MAGNETIC WIRELESS CHARGER

AUTOMATIC DIM MODE


3IN1 WIRELESS CHARGING STATION OPTIMIZED FOR iPHONE, APPLE WATCH AND AIRPODS

PERFECT POSITIONING



SPECIFICATIONS

Dimensions / Weight	Materials	Input (USB-C)	Output	Power	Frequency band	Additional functions
L 57 × W 187 × H 7.7 mm	Recycled Aluminum,	9V3A	5W, 7.5W, 10W, 15W	2× 15W (Max.)	Smartphone: 100-205 kHz	\cdot Integrated overcharge and
149 g	Recycled Tempered Glass, Silicone, Magnet			1× 3W (Max.)	Smartwatch: 325 kHz	overvoltage protection • Integrated short-circuit protection • Dim mode









VONMÄHLEN Northern Germany



SPECIFICATIONS

Dimensions / Weight Materials Sound **Bluetooth**[®] Battery L 71 × W 87 × H 48.3 mm ABS, TPU, Power output: 5W (RMS) Bluetooth[®] Version: 5.0 USB-C input: 5V-1A 185 g Iron Driver: 45 mm Bluetooth[®] range: 10 m Battery capacity: 1500 mAh Impedance: $4\Omega \pm 15\%$ Bluetooth[®]-Profiles: Charging time: 5 hours HFP V1.5; A2DPV1.3; AVRCP V1.5 Playback time: 10 hours Sensitivity: 80 dB ± 3 dB Standby time: 60 hours Frequency Response: 120 Hz - 18 kHz Frequency Range: 2402 MHz - 2480 MHz

Design

Voice input: Microphone Voice assistant: Siri and Google assistant Water resistant: IP67 Auto sleep after 15 minutes



WHITE **SKU** AGO00004





CUSTOMIZATION

Pantone coloring	Branding area	Finishing
Body + grid	65 × 37 mm	4c UV printin

AIR BEATS MINI

THE COMPACT SPEAKER

😵 Bluetooth°

AIR BEATS MINI | HIGHLIGHTS



SPECIFICATIONS

Dimensions / Weight $L75 \times W99 \times H72 mm$ 254 g

Materials ABS, Silicone,

Iron

Power output: 5W (RMS) Driver: 45 mm Connector: 3.5 mm Audio jack Impedance: 4Ω Sensitivity: $82 dB \pm 3 dB$ Frequency Response: 100 Hz - 18 kHz

Sound

Bluetooth[®]

Bluetooth[®] Version: 5.0 Bluetooth[®] range: 10 m Bluetooth[®]-Profiles: HFP V1.5; A2DPV1.3; AVRCP V1.5 Bluetooth[®] Frequency Range: 2402 MHz - 2480 MHz

Battery USB-C input: 5V-1A Battery capacity: 2200 mAh Charging time: 5 hours Playback time: 13hours Standby time: 60 hours

Design

Voice input: Microphone Voice assistant: Siri and Google assistant True wireless stereo Water resistant: IPX6 Auto sleep after 10 minutes



PACKAGING				
Packing dimensions L 133 × W 130 × H 98 mm	Weight incl. product 485 g	Accessories 1 m USB-C to USB-C		Origin country China
		cable		

CUSTOMIZATION

Branding A – 60 × 30 mm

Branding B – 40 × 25 mm

Branding area

Finishing

4c UV printing